

**REVISIONS** This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. REV APPROVED DESCRIPTION DATE INITIAL re-sized dimensions, changed -3 from three hose barbs to one, and reduced from two pages to one. 5/21/2008 WP ENLARGED P/N FLAT FROM .100 MODIFIED -3 TO WORK WITH COUPLING, ADDED COUPLING, DELETED HOSE CLAMP. ADDED -15, -17, EXPLODED VIEWS AND UPDATED BOM. 2 8/2/2012 JAG RENAMED BOM P/N WAS -15 IS -11. RENAMED BOM P/N WAS -17 IS -13 & CH'D MATERIAL TO NEW PIG CORP. #PAD210. 2/5/2014 DPD CH'D TITLE BLOCK WAS RED BARN IS DART, -1 CH'D DIMS WAS Ø1.00 IS (Ø1.00), WAS Ø.50 ▼.47 ∟\_\_ I LIMITS Ø.5000 TO .5007 ▼.280 IS Ø.490 ▼.47 ∟\_\_ I LIMITS Ø.4970 TO .4975 ▼.280, WAS .468 IS (.468), ADDED MISSING DIMS Ø.375, Ø.430, & 30°. -3 CH'D DIM WAS Ø.498±.001 IS Ø.498±.001 -.000, DELETED DIMS .28 & LIMITS Ø.5012 TO .5016. DPD 3 7/10/2014






## **ASSEMBLY VIEW** HOSE AND COUPLING REMOVED FOR CLARITY

C-BOX & ENGINE DRAIN TOOL

GE

	ASSY	A CCV			UNIT					L	BATONEI STILE		
	QTY	ASSY QTY	B/O	Part #	QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG	G. I	RBT18647 Rev 3		
				-1	1	BODY	6061	Ø1 X 2-1/2	2	Ī	MAT'L DRAWN BY: PERRITT		
				-3	1	HOSE CONNECTOR	6061	Ø1/2 X 1-3/4	3		UNLESS OTHERWISE SPECIFIED APPROVED DIMENSIONS ARE IN INCHES		
			B/O	-5	1	O-RING	VITON	2-011N70 OR MCMASTER-CARR #9263K642	1		XXX ± .005 FRACTIONS ± 1/32 TREAT  XX ± .01 ANGLES ± 6° FINISH		
			B/O	-7	1	HOSE	VINYL	Ø1/2 O.D. x Ø3/8 I.D. x 6ft KURI-TECH #K010-0608	1		X ± .01 ANGLES ±.5° FINISH 1. BREAK ALL SHARP EDGES .015 x 45° SPEC		
			B/O	-9	1	COUPLING	NICKEL-PLATED BRASS	Ø1/2 MCMASTER-CARR #51495K116	1		OR .015R USED ON MODEL  2. DIMENSIONAL LIMITS APPLY AFTER		
			B/O	-11	1	BOX	CLEAR POLYPROPYLENE	DE LUZ FLEX-A-TOP FT-33	1		PLATING BELL 212; PT6T		
			B/O	-13	1	FOAM	POLYESTER/POLYURETHANE	NEW PIG CORP. #PAD210	1		SCALE 1:2 DATE 1/9/2008 SHEET 1 OF 3		





This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.


	REVISIONS .										
REV	DESCRIPTION	DATE	INITIAL	APPROVED							
	RE-SIZED DIMENSIONS, CHANGED -3 FROM THREE HOSE BARBS TO ONE, AND REDUCED FROM TWO PAGES TO ONE. ENLARGED P/N FLAT FROM .100	5/21/2008	WP								
	MODIFIED TO WORK WITH COUPLING, CHANGED FROM <b>Ø</b> .375 TO <b>Ø</b> .500, REMOVED BARB, ADDED GROOVE.	8/2/2012	JAG								
3	-3 CH'D DIM WAS Ø.498±.001 IS Ø.498+.001000, DELETED DIMS .28 & LIMITS Ø.5012 TO .5016.	7/10/2014	DPD	GE							

SCALE

2:1









1/9/2008

SHEET 3 OF 3

DATE

(-3)

HOSE CONNECTOR